

TUBOS DE AÇO INOXIDÁVEL

Diâmetro Nominal	Diâmetro Externo	ESPESSURAS DE PAREDE E PESO TEÓRICO							
		Schedule	Peso Teórico	Schedule	Peso Teórico	Schedule	Peso Teórico	Schedule	Peso Teórico
		5s	Kg/m	10s	Kg/m	40s	Kg/m	80s	Kg/m
Pol.	Mm.								
1/8	10,29	---	---	1,24	0,27	1,73	0,36	2,41	0,47
1/4	13,72	---	---	1,65	0,49	2,24	0,64	3,02	0,80
3/8	17,15	---	---	1,65	0,64	2,31	0,85	3,20	1,11
1/2	21,34	1,65	0,81	2,11	1,01	2,77	1,28	3,73	1,64
3/4	26,67	1,65	1,03	2,11	1,29	2,87	1,71	3,91	2,22
1	33,40	1,65	1,31	2,77	2,12	3,38	2,54	4,55	3,28
1 1/4	42,16	1,65	1,67	2,77	2,73	3,56	3,44	4,85	4,53
1 1/2	48,26	1,65	1,92	2,77	3,15	3,69	4,11	5,08	5,49
2	60,33	1,65	2,42	2,77	3,99	3,91	5,52	5,54	7,00
2 1/2	73,03	2,11	3,74	3,05	5,34	5,14	8,73	7,01	11,58
3	88,90	2,11	4,58	3,05	6,55	5,49	11,46	7,62	15,50
3 1/2	101,60	2,11	5,25	3,05	7,52	5,74	13,77	8,08	18,92
4	114,30	2,11	5,92	3,05	8,49	5,74	13,77	8,56	22,66
5	141,30	2,77	9,60	3,40	11,74	6,02	16,32	9,53	31,44
6	168,28	2,77	11,48	3,40	14,03	6,55	22,10	10,97	43,21
8	219,08	2,77	15,00	3,76	20,27	7,11	28,69	12,70	65,63
10	273,05	3,40	22,95	4,19	28,20	8,18	43,19	12,70	82,79
12	223,85	3,97	31,79	4,57	36,53	9,27	61,22	12,70	98,94
14	355,60	3,97	34,95	4,78	41,99	9,53	75,00	19,05	161,13
16	406,40	4,20	42,29	4,78	48,07	11,13	96,35	21,44	207,43
18	457,20	4,20	47,64	4,78	54,15	12,70	125,66	23,83	259,55
20	508,00	4,78	60,23	5,54	69,70	14,27	158,85	26,19	317,14
22	588,80	4,78	66,31	5,54	76,74	15,09	186,93		
24	609,60	5,54	83,79	6,35	95,91	---	---	---	---
30	762,00	6,35	120,15	7,92	149,54	17,48	260,13	---	---
						---	---	---	---